



# AVTECH ELECTROSYSTEMS LTD.

NANOSECOND WAVEFORM ELECTRONICS  
SINCE 1975

P.O. BOX 265  
OGDENSBURG, NY  
U.S.A. 13669-0265

TEL: 888-670-8729 (USA & Canada) or +1-613-686-6675 (Intl)  
FAX: 800-561-1970 (USA & Canada) or +1-613-686-6679 (Intl)

BOX 5120, LCD MERIVALE  
OTTAWA, ONTARIO  
CANADA K2C 3H4

info@avtechpulse.com - http://www.avtechpulse.com/

## PERFORMANCE CHECKSHEET

Model: AVPP-1-C-P-PN  
Type: Ultra-High-Speed Pulse Generator  
S.N.: 12123  
Date: December 17, 2008

Output Amplitude: 0 to  $\pm 10V$ , to 50 $\Omega$   
Pulse Width (FWHM): 0.2 to 100 ns  
Rise Time (20%-80%):  $\leq 100$  ps  
Fall Time (80%-20%):  $\leq 120$  or 350 ps  
PRF: 1 Hz - 1 MHz  
Jitter, Stability: OK  
Prime Power: 100-240V AC, 50-60 Hz.

Basic specifications: →



### Test Waveforms

Leading edge at 1 MHz, 100 ns,  $> +10V$ ,

500 ps/div. 5 V/div (50 mV  $\times$  40 dB):


Trailing edge at 1 MHz, 100 ns,  $> +10V$ ,

2 ns/div. 5 V/div (50 mV  $\times$  40 dB):



Full pulse at 1 MHz, 4 ns, > +10V,

1 ns/div. 5 V/div (50 mV × 40 dB):



Full pulse at 1 MHz, 250 ps, +10V,

500 ps/div. 5 V/div (50 mV × 40 dB):

